

NATIONAL STANDARD METHOD

ANTI-HIV SCREENING

VSOP 11

Issued by Standards Unit, Department for Evaluations, Standards and Training
Centre for Infections



UK Clinical Virology Network



Association of Medical Microbiologists



ANTI-HIV SCREENING

Issue no: 2 Issue date: 21.08.09 Issued by: Standards Unit, Department for Evaluations, Standards and Training Page: 1 of 7

Reference no: VSOP11i2

This NSM should be used in conjunction with the series of NSMs from the Health Protection Agency

www.evaluations-standards.org.uk

Email: standards@hpa.org.uk

STATUS OF NATIONAL STANDARD METHODS

National Standard Methods, which include standard operating procedures (SOPs), algorithms and guidance notes, promote high quality practices and help to assure the comparability of diagnostic information obtained in different laboratories. This in turn facilitates standardisation of surveillance underpinned by research, development and audit and promotes public health and patient confidence in their healthcare services. The methods are well referenced and represent a good minimum standard for clinical and public health microbiology. However, in using National Standard Methods, laboratories should take account of local requirements and may need to undertake additional investigations. The methods also provide a reference point for method development.

National Standard Methods are developed, reviewed and updated through an open and wide consultation process where the views of all participants are considered and the resulting documents reflect the majority agreement of contributors.

Representatives of several professional organisations, including those whose logos appear on the front cover, are members of the working groups which develop National Standard Methods. Inclusion of an organisation's logo on the front cover implies support for the objectives and process of preparing standard methods. The representatives participate in the development of the National Standard Methods but their views are not necessarily those of the entire organisation of which they are a member. The current list of participating organisations can be obtained by emailing standards@hpa.org.uk.

The performance of standard methods depends on the quality of reagents, equipment, commercial and in-house test procedures. Laboratories should ensure that these have been validated and shown to be fit for purpose. Internal and external quality assurance procedures should also be in place.

Whereas every care has been taken in the preparation of this publication, the Health Protection Agency or any supporting organisation cannot be responsible for the accuracy of any statement or representation made or the consequences arising from the use of or alteration to any information contained in it. These procedures are intended solely as a general resource for practising professionals in the field, operating in the UK, and specialist advice should be obtained where necessary. If you make any changes to this publication, it must be made clear where changes have been made to the original document. The Health Protection Agency (HPA) should at all times be acknowledged.

The HPA is an independent organisation dedicated to protecting people's health. It brings together the expertise formerly in a number of official organisations. More information about the HPA can be found at www.hpa.org.uk.

The HPA aims to be a fully Caldicott compliant organisation. It seeks to take every possible precaution to prevent unauthorised disclosure of patient details and to ensure that patient-related records are kept under secure conditions¹.

More details can be found on the website at www.evaluations-standards.org.uk. Contributions to the development of the documents can be made by contacting standards@hpa.org.uk.

The reader is informed that all taxonomy in this document was correct at time of issue.

Please note the references are now formatted using Reference Manager software. If you alter or delete text without Reference Manager installed on your computer, the references will not be updated automatically.

Suggested citation for this document:

Health Protection Agency (2009). *Anti-HIV Screening – minimum testing algorithm*. National Standard Method VSOP 11 Issue 2. http://www.hpa-standardmethods.org.uk/pdf_sops.asp.

ANTI-HIV SCREENING

Issue no: 2 Issue date: 21.08.09 Issued by: Standards Unit, Department for Evaluations, Standards and Training Page: 2 of 7
Reference no: VSOP11i2

This NSM should be used in conjunction with the series of NSMs from the Health Protection Agency

www.evaluations-standards.org.uk

Email: standards@hpa.org.uk

INDEX

STATUS OF NATIONAL STANDARD METHODS 2

INDEX..... 3

AMENDMENT PROCEDURE 4

ANTI-HIV SCREENING 5

ACKNOWLEDGEMENTS AND CONTACTS 6

REFERENCES 7

ANTI-HIV SCREENING

Issue no: 2 Issue date: 21.08.09 Issued by: Standards Unit, Department for Evaluations, Standards and Training Page: 3 of 7
Reference no: VSOP11i2

This NSM should be used in conjunction with the series of NSMs from the Health Protection Agency

www.evaluations-standards.org.uk

Email: standards@hpa.org.uk

AMENDMENT PROCEDURE

Controlled document reference	VSOP 11
Controlled document title	Anti-HIV Screening

Each National Standard Method has an individual record of amendments. The current amendments are listed on this page. The amendment history is available from standards@hpa.org.uk.

On issue of revised or new pages each controlled document should be updated by the copyholder in the laboratory.

Amendment Number/ Date	Issue no. Discarded	Insert Issue no.	Page	Section(s) involved	Amendment
1/ 21.08.2009	1	2	1	Front Page	Northern Ireland Logo added
			5	Algorithm	References inserted Third generation assays removed Algorithm put in to standard visio format Interim report box added Foot note inserted
			7	References	References inserted

ANTI-HIV SCREENING


Issue no: 2 Issue date: 21.08.09 Issued by: Standards Unit, Department for Evaluations, Standards and Training Page: 4 of 7
Reference no: VSOP11i2

This NSM should be used in conjunction with the series of NSMs from the Health Protection Agency

www.evaluations-standards.org.uk

Email: standards@hpa.org.uk

ANTI-HIV SCREENING ^{2,3}



A definitive positive diagnosis of HIV not be reported unless:

A confirmatory laboratory has issued a report confirming tests on the first specimen are consistent with HIV infection and the results are confirmed by a second specimen.

^a Commercial HIV viral load tests may not be licensed for diagnostic purposes

^b Laboratory reports of newly identified HIV antibody positive individuals should be reported to the HIV Reporting Section of the Health Protection Agency Centre for Infections (HPA CfI) and to Health Protection Scotland.

ANTI-HIV SCREENING

Issue no: 2 Issue date: 21.08.09 Issued by: Standards Unit, Department for Evaluations, Standards and Training Page: 5 of 7
Reference no: VSOP11i2

This NSM should be used in conjunction with the series of NSMs from the Health Protection Agency

www.evaluations-standards.org.uk

Email: standards@hpa.org.uk

ACKNOWLEDGEMENTS AND CONTACTS

This standard method was initiated and developed by the National Standard Methods Working Group for Clinical Virology http://www.hpa-standardmethods.org.uk/wg_virology.asp. The contributions of many individuals in clinical virology laboratories and specialist organisations who have provided information and comment during the development of this document, and final editing by the Medical Editor are acknowledged.

The National Standard Methods are issued by Standards Unit, Department for Evaluations, Standards and Training, Centre for Infections, Health Protection Agency, London.

For further information please contact us at:

Standards Unit
Department for Evaluations, Standards and Training
Centre for Infections
Health Protection Agency
Colindale, London
NW9 5EQ

Email: standards@hpa.org.uk

ANTI-HIV SCREENING

Issue no: 2 Issue date: 21.08.09 Issued by: Standards Unit, Department for Evaluations, Standards and Training Page: 6 of 7
Reference no: VSOP11i2

This NSM should be used in conjunction with the series of NSMs from the Health Protection Agency

www.evaluations-standards.org.uk

Email: standards@hpa.org.uk

REFERENCES

1. Department of Health NHS Executive: The Caldicott Committee. Report on the review of patient-identifiable information. London. December 1997.
2. Parry JV, Mortimer PP, Perry KR, Zuckerman M. Towards error-free HIV diagnosis: guidelines on laboratory practice. Communicable Disease & Public Health 2003;334-50.
3. Perry KR, Ramskill S, Eglin RP, Barbara JA, Parry JV. Improvement in the performance of HIV screening kits. Transfus Med 2008;18:228-40.

ANTI-HIV SCREENING

Issue no: 2 Issue date: 21.08.09 Issued by: Standards Unit, Department for Evaluations, Standards and Training Page: 7 of 7
Reference no: VSOP11i2

This NSM should be used in conjunction with the series of NSMs from the Health Protection Agency

www.evaluations-standards.org.uk

Email: standards@hpa.org.uk